Date: 12/07/00

STATEMENT OF WORK (SOW)
For the Repair of the
Mode IV Eval CCA
NSN: 5998-01-325-1007

P/N: 247886-101; CAGE: 13973

SOW-03-844-1-8D998B-2/1

- 1. This SOW identifies the work effort that shall be performed by the Contractor to rebuild the Mode IV Eval CCA; NSN 5998-01-325-1007; P/N 247886-101; CAGE 13973.
- 2. The attached manuscript has been reviewed and is concurred upon by the following signers:

HARVEY C. DEARING

Weapon System/Equipment Manager Data Systems Section (Code 844-1) MCLB, Albany GA

GYSGT R. WRIGHT

Equipment Specialist Data Systems Section (Code 844-1) MCLB, Albany GA STEPHANIE BYRD

Inventory Manager Data Systems Section (Code 844-1) MCLB, Albany GA

TABLE OF CONTENTS

<u>Paragraph</u>	<u>Title</u>	Page
	Cover Page	
	Table of Contents	i
1.0	Scope	1
1.1	Background	1
2.0	Applicable Documents	1
2.1	Military Standards	1
2.2	Other Government Documents and Publications	1
2.3	Industry Standards	2
3.0	Requirements	2
3.1	General Tasks	2
3.2	Detail Tasks	2
3.2.1	Phase I (Pre-Induction)	3
3.2.2	Phase II (Repair)	3
3.2.3	Phase III (Inspection, Testing and Acceptance)	3
3.2.4	Phase IV (Packaging, Handling, Storage and Transportation (PHS&T))	4
3.3	Government Furnished Equipment (GFE)/Government Furnished Materiel	
	(GFM) Accountability	4
3.4	Contractor Furnished Materiel (CFM)	4
3.5	Electrostatic Discharge (ESD) Control Program	4
3.6	Quality Assurance Provisions	4
3.7	Acceptance	5
3.8	Rejection	5
3.9	Configuration Control	5
4.0	Reports	5
4.1	Pre-Induction Checklist	5
4.2	Test/Inspection Report	5
4.3	Repairable Item Inspection Report	5
4.4	Monthly Progress Report	5

 $\frac{Appendix}{A}$ Standard Form 364 (Rev. 2-80)

STATEMENT OF WORK FOR THE Inspect Repair Only As Necessary (IROAN) of Mode IV Eval CCA (5998-01-325-1007)

P/N: 247886-101; CAGE: 13973

1.0 Scope

This Statement of Work (SOW) establishes, sets forth tasks, and identifies the work effort that shall be performed by the Contractor to IROAN the Mode IV Eval CCA, 5998-01-325-1007; hereafter referred to as the MODE IV EVAL CCA. The MODE IV EVAL CCA, Drawing Number 247886, CAGE 13973, is a component of the Tactical Air Operations Module (TAOM), AN/TYQ-23(V)1. This document contains requirements to restore the MODE IV EVAL CCA to Condition Code "A". Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."

1.1 Background: IROAN is defined as "That maintenance technique which determines the minimum repairs necessary to restore equipment components or assemblies to prescribed maintenance serviceability standards by utilizing all available diagnostic equipment and test procedures in order to minimize disassembly and parts replacement."

2.0 Applicable Documents

The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DODISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking

MIL-STD-2073-1D DoD Standard Practice for Military Packaging

2.2 Other Government Documents and Publications: The issues of those documents cited below shall be used.

TM-08565A-24P/9 AN/TYQ-23(V)1 Illustrated Parts Breakdown Manual

247886 Parts List Mode IV Eval CCA

247886-720 Test Specifications

247886-750 Test Procedures

DOD 4000.25-1-M MILSTRIP Manual

NAVICPINST 4491.2A Requisitioning of Contractor Furnished Materiel From the

Federal Supply System

Military Handbooks (For Guidance)

MIL-HDBK-61 Configuration Management

2.3 Industry Standards

JESD625-A Requirements for Handling Electrostatic-Discharge

Sensitive ESDS Devices

ANSI/ISO/ASQC Q9003-1994 Quality Systems-Model for Quality Assurance in Final

Inspection and Test

Industry Standards (For Guidance)

ANSI/EIA-649 National Consensus Standard for Configuration

Management

(Copies of Military Standards and Specifications are available from the DOD Single Stock Point, Document Automation and Production Service, Building 4D, 700 Robbins Avenue, Philadelphia, PA 19111-5094, Telephone (215) 697-2179 or DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents and publications required by contractors in connection with specific SOW requirements shall be obtained through the Contracting Officer: Commander, Attn: Contracting Officer (Code 891), Marine Corps Logistics Base, 814 Radford Blvd., Albany, Georgia 31704-1128, commercial telephone number (229) 639-6761 or DSN 567-6761. Copies of engineering drawings, if applicable, shall be obtained from Life Cycle Management Center, Attn: Code 851-3, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, commercial telephone number (229) 639-6410 or DSN 567-6410.)

3.0 Requirements

- **3.1** General Tasks: In fulfilling the specified requirements, the Contractor shall provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test and calibrate the MODE IV EVAL CCA. Upon completion of repairing the subject item it shall be Condition Code "A".
- **3.2** <u>Detail Tasks:</u> The following tasks describe the different phases for repair of the MODE IV EVAL CCA:

Phase I Pre-Induction

Phase I I Repair

Phase III Inspection, Testing and Acceptance

Phase IV Packaging, Handling, Storage and Transportation (PHS&T)

- **3.2.1** Phase I (Pre-Induction): A pre-induction inspection analysis shall be performed for each MODE IV EVAL CCA within five working days of induction into the Contractor's facility for evaluation of repair capability. If repair is not feasible, assign Condition Code "H" (CC "H"), notify Marine Corps Logistics Base (MCLB) (Code 844-1), Albany, Georgia for disposition instructions, otherwise assign CC "M" and induct into the repair cycle. The Pre-Induction Checklist (Appendix A) shall be used to report all anomalies and shall be provided to the government in accordance with section 4.0 of this SOW.
- **3.2.2** Phase II (Repair): After pre-induction tests and inspections have been completed, repair of the MODE IV EVAL CCA shall be accomplished in accordance with this SOW. Deficiencies noted on the Pre-Induction Checklist during Phase I shall be repaired/replaced. Components or assemblies shall not be disassembled for replacement of parts unless that part has failed, or the component assembly wherein the part is located is disassembled for repair.

a. Hardware

- (1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety, and one-time use items. Unserviceable would include any of the above that failed to function properly.
- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.
- b. <u>Publications and Documentation:</u> In addition to the documents invoked in Section 3 of this SOW, the Contractor may use the following documents:

247886 Parts List Mode IV Eval CCA

247886-720 Test Specifications 247886-750 Test Procedures

TM-08565A-24P/9 AN/TYQ-23(V)1 Illustrated Parts Breakdown Manual

3.2.3 Phase III (Inspection, Testing and Acceptance)

- a. Inspection, Testing and Acceptance of the MODE IV EVAL CCA shall be conducted in accordance with the documents and TM listed in paragraph 3.2.2.b and documentation retained by the manufacturer.
- b. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. MCLB (Code 844-1), Albany, GA representatives may require the Contractor

to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.

3.2.4 Phase IV (Packaging, Handling, Storage and Transportation (PHS&T))

- a. The Contractor shall be responsible for preservation and packaging of items being repaired under the terms of this statement of work. Items being prepared for long term storage and/or shipment to overseas destinations shall be preserved and packaged in accordance with the level A requirements of MIL-STD-2073-1D, Appendix J, Table J.Ia, Specialized Preservation Code "GX." Items being prepared for domestic shipment, immediate use and short term storage shall be to level B requirements. All items subject to electrostatic discharge shall be packed into a reusable fast pack container.
 - b. Marking of all items shall be in accordance with MIL-STD-129.
- c. The Marine Corps will provide the contractor with the shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the Contractor.
- Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM): GFE is government owned equipment authorized by contract for use by a commercial/Government contractor. It is neither consumed during production nor incorporated into any product. GFM is materiel furnished to a contractor that will be consumed during the course of production or incorporated into the product being manufactured/remanufactured under a contract/statement of work. In the event the Contractor has GFE/GFM requirements the Management Control Activity (MCA/Code 827-2), Marine Corps Logistics Bases, Albany, Georgia, will coordinate required GFE and will maintain a central control on Marine Corps assets in the Contractor's possession. The MCA will forward a GFE Accountability agreement to the Contractor Facility for signature to establish a chain of custody and property responsibilities for Marine Corps assets. The Contractor shall report receipt of all GFM and report consumption of GFM to the MCA.
- **3.4** Contractor Furnished Materiel (CFM): The Marine Corps has adopted the Navy's procedures regarding Contractor Furnished Materiel (NAVICPINST 4491.2A). In the event that Contractor Furnished Materiel (CFM) is required for repair parts, the contractor shall requisition repair parts through the DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11 authorizes contractors to requisition through the DoD Supply System.
- 3.5 <u>Electrostatic Discharge (ESD) Control Program:</u> The contractor shall establish, implement and document an ESD control program following the guidelines provided in JESD625-A. ESD protective measures shall be used during manufacturing, handling, inspection, test, marking, packaging, storing and transporting ESD sensitive components.
- **3.6 Quality Assurance Provisions:** The Contractor shall provide and maintain a Quality System that as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9003-1994,

Quality System Model for Quality Assurance in Final Inspection and Test. The program shall ensure quality throughout all areas to include processing, assembly, inspection, test, maintenance, and preparation for delivery and shipping. Unless otherwise specified in the contract, the contractor shall be responsible for performance of all inspection requirements. The Government (MCLBA, Code 844-1) reserves the right to perform any of the inspections set forth in the contract where such inspections are deemed necessary to assure products and services conform to the prescribed requirements.

- **3.7** Acceptance: The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to inprocess review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps (Code 844-1) representatives shall be permitted to observe the work or to conduct an inspection.
- **Rejection:** Failure to comply with any of the specified requirements listed herein shall be reason for rejection by MCLB Code 844-1, Albany, representative. The Contractor shall, at no additional cost to MCLB, Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.
- **3.9** Configuration Control: The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. If it is necessary to temporarily depart from the authorized configuration, the contractor shall prepare and submit a Request for Deviation. MIL-HDBK-61 (paragraph 4.3 and Table 4-9) and ANSI/EIA-649 (paragraph 5.3.4) provide guidance for preparing these configuration control documents.
- **4.0** Reports: All report deliverables shall be submitted in hard copy to Commander (Code 844-1), Marine Corps Logistics Bases, 814 Radford Blvd. Suite 20320, Albany, Georgia 31704-0320, unless directed otherwise in a Contract Data Requirements List.
- **4.1** Pre-Induction Checklist: The Contractor shall complete the Pre-Induction Inspection Checklist (Appendix A) for each MODE IV EVAL CCA repaired. These documents shall be available prior to final acceptance testing. One copy of each document shall be provided to MCLB (Code 844-1) Albany, Georgia, within 30 days after final acceptance of the MODE IV EVAL CCA.
- **4.2** <u>Test/Inspection Report:</u> The Contractor shall provide a Test/Inspection Report for each MODE IV EVAL CCA.
- **4.3** Repairable Item Inspection Report: The Contractor shall provide a Repairable Item Inspection Report for each MODE IV EVAL CCA. The report shall be identified by United States Marine Corps Serial Number.
- **4.4** Monthly Progress Report: The Contractor shall provide a Monthly Progress Report summarizing the progress and status of the MODE IV EVAL CCA Program.

INSTRUCTIONS

DEPARTMENT OF DEFENSE: DLAR 4140.55/AR 735.11.2/NAVSUPINST 4440 127E/AFR 400.54/MCO 4430.3E, Reporting of Item and Packaging Discrepancies, and/or DLAR 4140.60/AR 12-12/NAVSUPINST 4920.9B/AFR 67.7/MCO 4140.1B, processing Discrepancy Reports Against Foreign Military Sales Shipments.

REPORT OF DISCREPANCY (ROD) SHIPPING PACKA		DATE OF PREPARATI	ON	2 REPORT NUMBER					
TO (Name and Address, Include ZIP Code)			4. FROM. (Name and Address, Include ZIP Code)						
a SHIPPERS NAME		Sb. NUMBER AND DATE	OF INVOICE		Se TRANSPORTATION DOCUMENT NUMBER (GBL, Waybill, TCN, etc.)				
a SHIPPER'S NUMBER (Purchase Order/Shipmnet, omtrat, etc)	76 OFFICE ADMINISTERING	G CONTRACT			8. REQUISITION	ER'S NUMBER //	Requisition, Pu	rchase Request	
SHIPMENT	BILLING, AND RECEIPT DATA			10	DISCREPANCY DATA			11.	
NSN/PART NUMBER AND NOMENCLATURE	UNIT OF ISSUE	SHIPPID	RECEIVED	QUAN- HTY	UNIT	TOTAL COST	CODE	1 2	
(a)	(b)	(c)	(d)	(a)	(b)	(c)	(d)	-	
	ŧ I				1				
2 REMARKS (continue on separate sheet of paper if no	age a mul			<u> </u>	<u>L</u>	<u> </u>			
E KUMMAKKS Romanue on separate sneet of paper y ne	eessary)								

1. DISCR.	EPANCY CODES	2 ACTION CODES
CONDITION OF MATERIAL	PRODUCT QUALITY DEFICIENCIES	
C1 - In condition other than that indicated on	Q1 - Deficient material (Applicable to Grant Aid and FMS shipments)	 1A - Disposition instructions requested (Reply on reverse)
release/receipt document	SHORTAGE OF MATERIAL	1B - Material being retained (See Remarks)
C2 Expired shelf life	S1 - Quantity less than that on receipt document	1C - Supporting supply documentation requested
C3 - Damaged parcel post shipment	S2 - Quantity less than that requested (Other than unit of issue pack)	1D - Material still required, expedite shipment (Not)
SUPPLY DOCUMENTATION	S3 - Non-receipt of parcel post shipments	applicable to FMS)
D' - Not received	ITEM TECHNICAL DATA MARKINGS (i.e., Name Plates, Log	1E - Local purchase material to be returned at supplier's
D2 Blegible or mutilated	Books, Operating Handhooks Special Instructions, etc.)	expense unless disposition instructions to the contrary
D3 - Incomplete. Improper or without authority	Tt - Missing	are received within 15 days (Reply onreverse) (Not
(Only when reccipt cannot be properly processed)	T2 - Illegible or Mutilated	applicable to FMS)
MISDIRECTED MATERIAL	T3 - Precauttionary operational markings missing	1F - Replacement shipment requested (Not applicable to
M1 - Addressed to wrong activity	T4 - Inspection data missing or incomplete	FMS)
OVERAGE/DUPLICATE SHIPMENTS	T5 - Serviceability operating data missing or incomplete	1G - Reshipment not required. Item to be re-requisitioned.
O1 - Quantity in excess of that on receipt document	To - Warranty data missing	1H - No action required Information only
O2 - Quantity in excess of that requested (Other than unit of issue pack)	WRONG ITEM (Identify requested item as a separate copy in Item 9.	1Z - Other action requested (See remarks)
O3 - Quantity duplicate shipment	ahove)	
PACKING DISCREPANCY	W1 - Incorrect item received	
P1 - Improper preservation	W2 - Unacceptable substitute	
P2 - Improper packing	OTHER DISCREPANCIES	
P3 - Improper Marking	Z1 - See Remarks	
P4 - Improper unitization		
13 FUNDING AND ACCOUNTING DATA		
14a TYPED OR PRINTED NAME, TITLE, AND PHONE NUMBER OF PR	EPARING OFFICIAL 146 SIGNATURE	

15 DISTRIBUTION ADDRESSEES FOR COPIES

7540-00-159-4442

364 103

(Previous edition is obsolete)

STANDARD FORM 364 (Rev. 2-80) (BG) Prescribed by GSA FPMR 101 20.0

16. FROM:		17 DISTRIBUTION ADDRESSES FOR DISTRIBU	THON
16 70	· · · · · · · · · · · · · · · · · · ·		
19 IN ACCORDANC	E WITH NOTICE OF I	this document. address, inclu starting one typ the left dot. Each NOT extend b Address must not	Invelope to mail Insert Name and ding ZIP Code, bing space below in address line must eyond right dot, exceed four single bing lines. RM:
MATERIAL DOCUMENT NUMBER HAS WILL		NO RECORD OF SHIPMENT. RESUBM	
BEEN BE SHIPPED		b. TO PROPER OFFICE UNDER	MI KEFORI
AN ADJUSTMENT IN BILLING CREDIT HAS BEEN WILL BE PROCESSED	DEBIT	d INVOICE/BILL 6 IT	PROOF OF DELIVERY
AN ADJUSTMENT IN BILLING FOR THIS REPORTED DISCREF	PANCY WILL NOT BE PROC	ESSED FOR THE FOLLOWING REASON WHICH IS	CITED IN
(1) REASON FOR NOT PROCESSING		(2) PRESCRIBING RE	
(a) DISCREPANCY WAS NOT REPORTED WITHIN THE TIME FR. AND/OR	AMES ALLOWED	(a) CHAPTER 5 OF THE GSA HANDBOC DISCREPANCIES OR DEFICIENCIES IN O DOD SHIPMENTS, MATERIALS, OR BILL (FPMR 101.26 8)	SSA OR
(b) DOLLAR VALUE DOES NOT MEET THE CRITERIA PRESCRIBE OR AGREEMENT INDICATED IN 191(2)	ED IN THE REGULATION	(b) CHAPTER 2 AND/OR 7 OF DOD 4000 2 MILITARY STANDARD BILLING SYSTEM (MILBILLS) AND/OR DD 1513, U.S. DOD OI ACCEPTANCE, AS APPLICABLE	
29 THE FOLI	OWING DISPOSITION IS TO	BE MADE OF THE REFERENCED MATERIAL	DAYS
PROCESS FOR DISPOSAL IN ACCORDANCE WITH SERVICE/AGENCY DIRECTIVES	b. REPRESENTATIVE DISPOSITION	WILL CALL FOR DISCUSSION CONCERNING	
c RETAIN MATERIAL AT NO CHARGE	d. MATERIAL WILL	BE PICKED UP IN.	DAYS
c SHIP MATERIAL Specify location)		, , , , , , , , , , , , , , , , , , , ,	
(i) GBL APPROPRIATION CHARGEABLE			
(2) CHARGES COLLECT - VIA. FREIGHT	EXPRESS	PARCEL POST	
(3) PARCEL POST LABEL ATTACHED	(4) FREIGHT PREI	PAID	
OTHER (Specify)			
21 IF MATERIAL IS STILL REQUIRED, SUBMIT NEW REQUISITION	22 REPLACEMENT W	ITH SATISFACTORY MATERIAL STOR BEFORE:	DATE
23 REMARKS (Continue on separate sheet of paper if necessary).	<u>I</u>		
24a TYPED OR PRINTED NAME AND PHONE NUMBER OF PREPARING OFFICIAL	24b SIGNATURE		24c. DATE

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is astimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Artington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid DMB control number. Please DD NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the Contract/PK No. listed in Block E.

A. CONTRACT LINE I	ITEM NO.	B. EXHIBIT	r	C. CATEGORY:		· · · · · · · · · · · · · · · · · · ·		-		ı
D. SYSTEM/ETEM			E. CONTRACT/PR	TDP TM NO.	F. CONTRA					ı
	le IV Eval CCA		L. CONTINUIN		17 001111					
1. DATA ITEM NO.	2. TITLE OF DATA ITEM		· · · · · · · · · · · · · · · · · · ·		3. SUBTITLE					17. PRICE GRO
A001	Contractor's Pr	ogress, S	Status, and Ma	nagement Report						
4. AUTHORITY (Data Acquis	sition Document No.)		5. CONTRACT REFEREN	CE	1	6. REQUIRING OFFICE				18. ESTIMATEI Total Pric
	MGMT-80227	10. FREQUEN	ov.	SOW 4.4	AN	MCLB	A (844)			
7. 00 250 REQ LT	REQUIRED	l .	ATHLY	See Blk 1		14. DISTRIBUTION	Τ	b. Copies		
8. APP CODE	_	I1. AS OF DA	TE	13. DATE OF SUBSEQUENT SUBMISSION		a. ADDRESSEE	- Oraft	Fir	ıal	
16. REMARKS	Α			See Blk 1	6	MCI DA (044.1)	<u> </u>	Reg	Repro ()	
Contractor for	mat is authorized.					MCLBA (844-1)	0	1		
Blk 4 - Tailor 10.3i, 10.3i, 1	DI-MGMT-80227 0.3k, and 10.3n.	as follo	ws: Delete par	agraphs 10.3g, 1	0.3h,					
	eporting period sl submission shall t							-		
Blk 13 - Subse	equent submission	s shall be	e 10 days after	the last business	day of		1			
Distribution St	atement A: Appr	oved for	public release	, distribution is u	nlimited.					
							+-			
									<u> </u>	
							_			
							_			
							1			
							-			
							-			
										ĺ
							 			
							+			
										1
G. PREPARED BY			H. DATE	I. APPROVED I	BY	15. TOTAL	J. DATI	<u> </u>	0	1
1-11	1 11000		, , ,	6.		\mathcal{D}_{α}	1/4 /	/لد	~)	
Kul-	1 WA		12/8/00	7 0000	ey ("	Glaring	Vol.	<u>410</u>	2/_]
DD FORM 1423	-1, AUG 96\ €6)		PI	REVIOUS EDITION MAY BE	ADSED.		Page d using Perform	af Pro, WHS/I	Pages	

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reparting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and complating and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Deparations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of town on the short of the provision of the Government Issuing Contracting Officer for the Contract/PR No. listed in Block E.

D. SYSTEM/ITEM Mode IV Eval CCA E. CONTRACT/PR NO. F. CONTRACTOR I7. PRICE GROUDE I7. PRICE GROUDE	A. CONTRACT LINE I	B. EXHIBIT		C. CATEGORY: TDP TM OTHER							
PART HOME Contraction Contract Contr	D. SYSTEM/ITEM	a IV Eval CCA	<u></u>	E. CONTRACT/PR							
BOH Repairable Hem Inspection Report C. GREENEN (1900 CARROSCO CONCOUNT SEC.) DI-LISS-80.0366 DI-LISS-80.0366 DI-LISS-80.0366 DI-LISS-80.0366 ASREQ SOW 4.3 SOW 4.3 SOW 4.5 ASREQ SEE BIK 16 LO STREENEN SERVING SERVING SERVING SOW 4.3 TO SEE BIK 16 LO STREENEN SERVING SERVING SOW 4.3 TO SERVING SERVING SERVING SOW 4.3 TO SERVING SERVING SERVING SOW 4.3 TO SERVING SERVING SERVING SOW 4.3 TO SERVING S						3. SUBTITLE			.,		17, PRICE GROUP
DE-ILSS 80336 DE-ILSS 80336 SOW 4.3 LOCATION TO TRAINING ASSECT SOW 4.4 LOCATION	i. exteristanty,	2. ALLE OF DATA ITEM						Į			
DI-IL-SS-80386 DI-IL-SS-80386 SOW 4.3 SORT OF THE PRINCE OF THE STREET OF THE STREE	B 001	Repa	irable Iter	-							
TO STATE OF THE PROPERTY OF TH				5. CONTRACT REFEREN				RA (844)	i		18. ESTIMATED Total price
A ASREQ THE PROPERTY ASPERSAL TO THE PROPERTY OF THE PROPERTY			10. FREQUENC			ON					
A subsumer See Bik 16 It remains a management of contractor format is authorized. Bik 10 - A separate report shall be submitted for each Mode IV Eval CCA reparted. Biks 12 & 13 - Submit report by Marine Corps Serial Number 30 days after completion of each Mode IV Eval CCA. Biks 12 & 13 - Submit report by Marine Corps Serial Number 30 days after completion of each Mode IV Eval CCA. Distribution Statement A: Approved for public release, distribution is unlimited. Distribution Statement A: Approved for public release, distribution is unlimited. G. PREPARED BY H. DATE LAPPROVED BY J. DATE J. BAPROVED BY J. DATE J. BARRAW VLGAMY (W. BAPROVED BY)									b. COPIES		<u> </u>
Is A See Blk 16	B. APP CODE		11. AS OF DAT	TE .	SUBMISSION		a. ADDRESSEE	Draft	Fi	nal	
Bik 10 - A separate report shall be submitted for each Mode IV Eval CCA repaired. Bik 13 - Submit report by Marine Corps Serial Number 30 days after completion of each Mode IV Eval CCA. Bik 14 - Reports shall be provided on hard copy. Distribution Statement A: Approved for public release, distribution is unlimited. Distribution Statement A: Approved for public release, distribution is unlimited. G. PREPARED BY H. DATE L. APPROVED BY J. DATE	15 DOMADKS	A			See Blk 1		MOV DA (044 I)				
Biks 12 & 13 - Submit report by Marine Corps Serial Number 30 days after completion of each Mode IV Eval CCA. Bik 14 - Reports shall be provided on hard copy. Distribution Statement A: Approved for public release, distribution is unlimited. G. PREPARED BY H. DATE L. APPROVED BY J. DATE J. DAT	Contractor for	mat is authorized.					MCLBA (844-1)	0	1	<u>-</u> U-	
Biks 12 & 13 - Submit report by Marine Corps Serial Number 30 days after completion of each Mode IV Eval CCA. Bik 14 - Reports shall be provided on hard copy. Distribution Statement A: Approved for public release, distribution is unlimited. G. PREPARED BY H. DATE L. APPROVED BY J. DATE J. DAT	Blk 10 - A sep repaired.	arate report shall	be submi	tted for each	Mode IV Eval CO	CA					
Bik 14 - Reports shall be provided on hard copy. Distribution Statement A: Approved for public release, distribution is unlimited. G. PREPARED BY H. DATE L. APPROVED BY J. DATE											
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE LE /8/00 Hams Dlawy (3/8)/00											
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE LE /8/00 Hams Dlawy (3/8)/00	.		1.6	1 1' 1	11. 2. 21. 22. 2	17 1423					į
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00	Distribution St	atement A: Appr	oved for	public release	e, distribution is u	niimitea.					
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00										,	
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00											
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00								+			
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00								- 			
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00											
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00											
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00								1			
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00											
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00											
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00										<u> </u>	
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00										ļ	
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00											
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00											
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00										<u> </u>	
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00										· · ·	
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00											
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00										-	;
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00										ļ <u> </u>	
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00									,		
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00											
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00											
G. PREPARED BY H. DATE 1. APPROVED BY J. DATE 12/8/00 Haws Dlany 12/8/00										 	
Subtrest 12/8/00 Hang Deary 12/8/00			<u>_</u>				15. TOTAL			0	
	G. PREPARED BY			H. DATE	I. APPROVED I	ВУ		J. DAT	E	_	1
	Kul)	fw.d		12/2/00	Ham	ا کم داد) lain	121		07)	
	DD FORM 1423	1, AUG 96 (EG)		, 0, 0,	7 0 - 0 0 0			Page_	_of	Pages	. :

(1 Data Item)

Form Approved OMB No. 0704-0188

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Dafense, Washington Headquarters Services, Directorate for Information Department of Dafense, Washington VA 22202-4302. Respondents should be aware that notivithstanding any other provision of leave, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

The public reporting burden for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completed for Patents of the Control number.

		B. EXHIBIT C. CATEGURY:									
D. SYSTEM/ITEM	ie IV Eval CCA	E. CONTRACT/PR NO.			F. CONTRACTOR						
I. DATA ITEM NO.	2. TITLE OF DATA ITEM	1		*	3. SUBTITLE						17. PRICE GR
D000		7D + /7	and an Discontinuo	_	1 T =	Dootmant!- T		المس		<u> </u>	
BOO2 4. AUTHORITY /Data Acqui	situm Busument No I	-	ection Report 5. CONTRACT REFEREN		Non	Destructive T	esting a	and In	spection	on ——	18. ESTIMAT
	-NDTI-80809B		3, CUMITALI NEFENEN	SOW 4.2			ICLBA	(844)		- 1	TOTAL PI
7. DD 250 REQ	9. DIST STATEMENT	10. FREQUENCY		12. DATE OF FIRST SUBM		14. DISTRI	BUTION	-			
DD	REQUIRED		SREQ	See Bll		W	:		a. COPIES		
8. APP CODE	A	11. AS OF DATE	e SREQ	13. DATE OF SUBSEQUEN SUBMISSION		a ADDRESSEE		Diaft	. Fu		
16. REMARKS	Λ			See Bll	(10	MCLBA (84	4-1)	0	Reg 1	Repro	
	mat is authorized	1.				DCMAO	4-1)	0	1	0	
			after comple	etion of Produc	rion						
Acceptance To	esting. DCMAO	will review	and provide	comments to N	ICLBA	ļ					
Contractor wi	nit test report with esting. DCMAO vs of receipt. MCI thin 30 days after	receipt of	recommenda	tions/comment	ance to the strom						
Blk 13 - The days of recein	Contractor shall in t. This review/apoval from the Gov	ncorporate proval eve	any Governr le shall be re	nent comments peated until the	with 30 Contractor						
receives appro	oval from the Gov	dernment.	•	•							
Distribution S	tatement A: App	royad for i	nublic releace	dietribution is	unlimited						
Distribution 3	татешент А. Арр	noved for j	public release	, distribution is	ummmed.					<u></u>	
							+				
						i 					
										-	
										_ 1	
						·				<u> </u>	
										<u> </u>	
						15. TOTAL		0		0	
G. PREPARED BY		···-	H. DATE	I. APPROVE	D BY	13. IVIAL		J. DATI		_ ∪	
1.11) /	1				7.			11	ري	
Kich	THE ALL		12/8/00	VXCIA	110.61	10km	-]	121	9//	かし	İ

(1 Data Item)

Form Approved OMB No. 0704-0188

17. PRICE GROUP

18. ESTIMATED

The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searthing existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0701-0188), 1215-3efferson Davis Highway, Suite 1204, Artington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing comply with a collection of information if it does not display a currently valid OMB control number.

The public reporting burden for this collection of information in public provision of the control number. The public public provision of the contract/PR No. listed in Block E.

A. CUNTRACT LINE I	IEM NU.	R. EXHIBIT		C. CATEGURY:	OTHER		×			Ì
D. SYSTEM/ITEM Mode	e IV Eval CCA		E. CONTRACT/PR		F. CONTRA			_		
1. DATA ITEM NO.	2. TITLE OF DATA ITEM				3. SUBTITLE					
C001		Request For Deviation					ation Man	ageme	nt	
4. AUTHORITY (Data Acquisi			5. CONTRACT REFEREN			6. REQUIRING OF		4m 1" :	4 1	
	SMAN-80640.C 9. DIST STATEMENT	40 50500500		SOW 3.9	AN) 	MCLBA	(50.		
7. DD 250 REQ LT	REQUIRED	10. FREQUENC	SREQ	SEE BLK		14.	DISTRIBUTION		b. COPIES	
B. APP CODE		11. AS OF DA		13. DATE OF SUBSEQUENT		a. ADDF	RESSEE		B. CUPIES Fir	nal
	Α			SUBMISSION		a. noo.		Oraft Reg Repro		
16. REMARKS	stor format is such					MCLBA	(351-2)	0	1	0
	ctor format is auth									
Blks 10 & 12 - nonconforming documentation.	RFDs shall be su material which d	ibmitted i loes not i	to obtain authoneet prescribe	orization to delive d configuration	er					
RFDs will be receipt by the (eviewed and disposorement.	osition d	etermined with	nin 30 calendar da	ays upon					
RFDs shall be mbmatcomcon	transmitted via E- figmngmnt@mate	-Mail to com.usmo	the following a	address:						
Distribution Sta	atement A: Appr	oved for	public release	, distribution is u	nlimited					
						ļ				
										<u> </u>
										<u> </u>
						!				
										ļ Ì
						15 TOTAL			1	<u></u>
G. PREPARED BY			H. DATE	I. APPROVED E	BY	15. TOTAL		J. DAT		0
Rich	fuld	~	12/8/00			Dea	nos ,	121	- [4] h	50
DD FORM 1423	1, AUG 98 (EG)		1 1 9	REVIOUS EDITION MAY BE	USED.			Page _	of _	Pages